B/W Multifunction Printer

Gestetner


MP 401SPF



Compact, powerful and amazing value

The MP 401SPF is designed with small to medium sized workgroups in mind. Its high performance, compact and powerful features mean this A4 black and white MFP gives you the best cost per page value available in its class – and this is combined with superior energy efficiency too. You can print up to 40 black-and-white pages per minute from this multifunction device as well as copy, scan, and fax. In fact, you'll be amazed by how much you can do with this compact and affordable device.

- Perfect for a small/medium workgroup's complete workflow
- · Save money with low Total Cost of Ownership
- Easy-to-use 4.3 inch colour touch panel
- Offers 1200 x 1200dpi at full speed
- · Print direct from USB-stick



Small footprint. Big output.

Perfectly proportioned

This capable and quiet device can handle a small to medium sized workgroup's complete workflow, while offering the smallest footprint in its range. So you can put it in a corner – or on a desk - of your office and the only thing you'll notice is its stunning capabilities.



The highest quality output everytime

With 1200 x 1200 dpi at full speed, this MFP saves time without compromising on quality. And, you can even print direct from portable media: simply insert a USB memory stick or an SD card and print without a PC or a network connection. Or, use your smartphone or tablet to print without the need for additional software or drivers for fast output on the go.



State-of-the-art

The icon based 4.3 inch touch panel offers easy operation, extended software capabilities and allows you to manage your documents via the cloud directly from the panel. Its software capabilities include integration with Streamline NX, Flexrelease NX, ELP, and our Smart Device Print & Scan mobile app.



Optimise workflow with Streamline NX

For an enterprise solution, integrate Streamline NX, a powerful suite of scalable, integrated document management applications and tools, that can deliver a standardised intelligent solution in every office, globally. The combination of our hardware and software can help you realise operational cost savings of up to 40% whilst also supporting security, compliance and sustainability objectives.

MP 401SPF

MAIN SPECIFICATIONS

GENERAL

Warm-up time: 14 seconds First output speed: 5.2 seconds Continuous output speed: 40 pages per minute Standard: 1,024 MB Memory: Maximum: 1,536 MB HDD: Option: 320 GB

Dimensions (W x D x H): 419 x 427 x 484 mm 23 ka Weight:

Power source: 220 - 240 V. 50/60 Hz

COPIER

Copying process: Dry, single component & electrophotographic printing

Multiple copying: Up to 99 copies 600 x 600 dpi Resolution:

Zoom: From 25% to 400% in 1% steps

PRINTER

Printer language: Standard (PCL5e, PCL6, Adobe® PostScript® 3™), Option (XPS) Maximum (1,200 x 1,200 dpi) Print resolution: Standard (USB 2.0, Ethernet 10 base-Interface:

T/100 base-TX, Ethernet 1000 Base-T), Option (Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n),

Bluetooth)

TCP/IP (IP v4, IP v6), IPX/SPX (option) Network protocol: Windows® Vista, Windows® 7. Windows® environments: Windows® 8, Windows® Server 2003,

Windows® Server 2008, Windows®

Server 2012

Mac OS environments: Macintosh OS X v10.5 or later UNIX environments: UNIX Sun® Solaris (2.6, 2.7, 2.8, 2.9,

2.10), HP-UX (10.x, 11.x, 11i v2, 11i v3), SCO OpenServer (5.0.6, 5.0.7, 6.0), RedHat® Linux Enterprise (4, 5, 6), IBM® AIX (5L v5.3, 5L v6.1, 5L

SCANNER

Resolution:

Scanning speed: Full colour: Maximum 30 originals per

B/W: Maximum 30 originals per minute

Standard: 100 - 600 dpi Default: 200 dpi

Original size:

Network TWAIN Bundled drivers:

E-mail, Folder, FTP, URL (Option),

NCP (Option)

FAX

Circuit: PSTN, PBX Compatibility: G3

Resolution: 8 x 3.85 line/mm, 200 x 200 dpi

Compression method: МН MR MMR JBIG

2 second(s) (200 x 100 dpi, JBIG) Transmission speed:

Modem speed: Maximum: 33.6 Kbps Scanning speed: 2.4 second(s) ADF used: spm Memory capacity: Standard: 4 MB

Memory backup: Yes: 12 hour

PAPER HANDLING

Recommended paper size: Standard paper tray(s): A4, A5, A6, B5,

Bypass tray: A4, A5, A6, B5, B6

Paper input capacity: Standard: 600 sheets Maximum: 1.600 sheets Standard: 250 sheets Paper output capacity:

> Paper tray(s): 52 - 162 g/m² Bypass tray: 52 - 162 g/m² Duplex: 52 - 162 g/m²

ECOLOGY

Paper weight:

Power consumption: Maximum: 1,140 W

Ready mode: 97.2 W or less Sleep mode: 0.72 W

TEC (Typical Electricity Consumption):

1.759 Wh

OPTIONS

Paper tray (1 x 250-sheet paper tray, 1 x 500-sheet paper tray), Medium cabinet, High cabinet, Hard Disk Drive (320 GB), RAM (1.5 GB), Bidirectional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth, VM Card, Netware, Browser unit, Counter interface, File format converter, Copy Data Security Unit, Unicode Font Package for SAP, OCR Unit, XPS direct print

CONSUMABLES

Black: 18,000 prints Starter toner: Toner cartridge (ultra high yield): Black: 18,000 prints

Consumable yield measuring method ISO/IEC 19752

For availability of models, options and software, please consult your

local Gestetner supplier.















RICOH @Remote

Gestetner

www.gestetner.com

ISO9001 certified ISO14001 certified. ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2016 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.