Desktop A4 colour MFP

## MP C306ZSP MP C306ZSPF MP C406ZSPF

☑ Printer ☑ Copier ☑ Scanner ☑ Fax





MP C406ZSPF

35 Colour

## Simplify complex jobs with a handy touch & swipe operation panel

Get the most from your office space and benefit from a quick, lasting return on your investment with Gestetner's new smart A4 colour MFPs. Designed for fast operation and easy integration with your existing document workflows, this MFP series features a large, intuitive control panel that's as simple and convenient to use as a tablet, combined with the ability to handle many of the functionalities and workflows of a large A3 MFP. But these MFPs do more than enhance productivity. They eliminate the need for you to invest in extra space for the functionalities you need. Their small footprint and quiet operation mean they can be placed anywhere without distracting employees or interrupting meetings. And to help you save even more costs, while reducing your carbon footprint, Gestetner has made them amazingly energy-efficient.

- · Easy to use: intuitive tablet-style operation
- · Productive: seamless integration into your document workflows, saving time and costs
- · Space-saving: more functionality from your valuable office space
- · Energy-efficient: reduced electricity costs and environmental impact
- · Quiet: can be placed anywhere without disturbing meetings or employees



# Improve productivity and control costs the smart way!

## Optimal use of office space

Office space is expensive so you don't want to set a large portion of it aside for printing/scanning. Gestetner's new colour MFPs have the smallest footprint in their range, but are packed with functionalities and solutions. They're designed to work quietly in the background, so you can place them close to workstations without disturbing dayto-day work.



## Easy with apps

The new 10.1-inch soft-key panel is designed for easy, intuitive operation. Its multi-touch interface allows you to flick, pinch, drag and drop, just as on a smartphone or tablet. It is also easy to install convenient apps such as Pattern Lock (to easily access and unlock the device) and Gestetner Smart Device Connector (for simple, one-touch connection with a smart device). You can even print and scan from your smart device.



## Fast results

Gestetner's new colour MFPs deliver up to 40 ppm in black & white, while also fulfilling your colour printing and connectivity needs. Their standard configuration and large operating panel make them easy to use with software solutions such as Streamline NX, GSNX and Equitrac. The larger screen size is also perfect for workflow-enhancing apps like Quick Copy.

## Savings throughout

A short recovery time, blank sheet printing control and class-leading energy efficiency cut your costs and environmental impact. You can also economise through device management capabilities often only found on A3 machines. By centralising quota settings for users and groups, you can avoid excessive printing. You are sure to notice significant time, space and energy savings!

### MP C306ZSP/MP C306ZSPF/MP C406ZSPF

MAIN SPECIFICATIONS

#### GENERAL

| Warm-up time:            | 25 seconds   |
|--------------------------|--|
| First output speed:      | Full colour: 11/11/10.5 seconds<br>B/W: 7.2/7.2/6.2 seconds              |
| Continuous output speed: | Full colour: 30/30/35 pages per minute<br>B/W: 30/30/40 pages per minute |
| Memory:                  | Standard: 2 GB   |
| HDD:                     | 320 GB   |
| Dimensions (W x D x H):  | 510 x 588 x 505 mm   |
| Weight:                  | 45 kg  |
| Power source:            | 220 - 240 V, 50/60 Hz  |
|                          |  |

#### COPIER

| Copying process:  | Dry Electrostatic Transfer System with<br>Dual component Development: 4-<br>Drum method |
|-------------------|---|
| Multiple copying: | Up to 99 copies   |
| Resolution:       | 600 x 600 dpi   |
| Zoom:             | From 25% to 400% in 1% steps  |

#### PRINTER

| Printer language:             | Standard: PCL5c, PCL6(XL), PDF,<br>PostScript® 3™<br>Option: XPS   |
|-------------------------------|--|
| Print resolution:             | Maximum: 1,200 x 1,200 dpi   |
| Interface:                    | Standard: USB2.0 Type A, USB2.0<br>Type B, SD slot, Ethernet 10 base-<br>T/100 base-TX, Ethernet 1000 Base-T<br>Option: Bi-directional IEEE 1284,<br>Wireless LAN (IEEE 802.11a/b/g/n),<br>Bluetooth             |
| Network protocol:             | TCP/IP: IP v4, IP v6   |
| Windows® environments:        | Windows® Vista, Windows® 7,<br>Windows® 8, Windows® 8.1,<br>Windows® Server 2003, Windows®<br>Server 2003R2, Windows® Server<br>2008, Windows® Server 2008R2,<br>Windows® Server 2012, Windows®<br>Server 2012R2 |
| Mac OS environments:          | Macintosh OS X v10.2 or later  |
| UNIX environments:            | UNIX Sun® Solaris, HP-UX, SCO<br>OpenServer, RedHat® Linux, IBM®<br>AIX  |
| SAP® R/3® environments:       | SAP® R/3 3.x® or later   |
| Other supported environments: | NDPS Gateway, AS/400® using<br>OS/400 Host Print Transform, IBM<br>iSeries   |
| 00411155                      |  |

#### SCANNER

| Scanning speed:<br>Resolution: | Maximum 30 originals per minute<br>Standard: 100 - 600 dpi  |
|--------------------------------|---|
|                                | Default: 200 dpi  |
| Original size:                 | A4  |
| Bundled drivers:               | Network TWAIN   |
| Scan to:                       | E-mail, Folder, USB, SD card, SMB,<br>FTP, URL, NCP (Option), PDF/A,<br>Digitally signed PDF, Searchable PDF<br>(embedded) (Option) |

## Gestetner

www.gestetner.com

### FAX

| Circuit:            |
|---------------------|
| Compatibility:      |
| Resolution:         |
|                     |
| Compression method: |
| Transmission speed: |
|                     |
| Modem speed:        |
| Scanning speed:     |
| Memory capacity:    |

#### PAPER HANDLING

Recommended paper size:

Paper input capacity: Paper output capacity: Paper weight:

ECOLOGY Power consumption:

Memory backup:

Standard: 8 x 3.85 line/mm, 200 x 100 dpi, 8 x 7.7 line/mm, 200 x 200 dpi MH, MR, MMR, JBIG G3: 2 second(s) (200 x 100 dpi, JBIG), 3 second(s) (200 x 100 dpi, MMR) Maximum: 33.6 Kbps 2.4 second(s) Standard: 4 MB Yes: 1 hour

PSTN, PBX

ITU-T (CCITT) G3

Standard paper tray(s): A4, A5, B5 Bypass tray: A4, A5, A6, B5, B6 Maximum: 1,350 sheets Maximum: 200 sheets Paper tray(s): 60 - 163 g/m<sup>2</sup> Bypass tray: 60 - 220 g/m<sup>2</sup> Duplex: 60 - 163 g/m<sup>2</sup> ADF: 52 - 128 g/m<sup>2</sup>

Maximum: 1,200 W Ready mode: 60 W Sleep mode: 1.1 W TEC (Typical Electricity Consumption): 1,095/1,095/1,584 Wh

#### **OPTIONS**

Paper tray (500-sheet paper tray), One-bin tray, Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/g/n), USB Server for Second Network Interface, Bluetooth, Pictbridge, Counter interface, File format converter, Data Overwrite Security Unit (Certified version), Copy Data Security Unit, Fax Connection Unit, Unicode Font Package for SAP, OCR Unit, XPS direct print, Enhanced security HDD, NFC Card Reader

#### CONSUMABLES

Toner capacity:

Black: 17,000 prints Cyan: 6,000 prints Magenta: 6,000 prints Yellow: 6,000 prints

Consumable yield figures are based on 2 p/j 5% coverage on A4. For availability of models, options and software, please consult your local Gestetner supplier.





🔏 PictBridge



RICOH @Remote

ISO9001 certified ISO14001 certified. ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2015 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.